

Prepolymer

MPC-022

MPC-022 is a polyether based MDI prepolymer used in a variety of exclusive specialty formulations by Northstar Polymers and may also be used as many other custom urethane formulations. MPC-022 is low viscosity liquid at room temperature, and it is a good candidate for a component material of room-temperature-cure polyurethane elastomer systems. Its prepolymer extension with long polyol chains allows formulators to formulate elastomer and foam polyurethane compounds in the softer Durometer hardness range. The functionality of MDI content is 2.09, and this allows formulators to compound elastomer formulations with fast green strength developments and foam formulations with faster gelling rates. Due to the 2,4 MDI isomer and pMDI content, MPC-022 is more shelf-stable than other MDI prepolymers.

Typical Physical Properties

Specific Gravity: 1.141

Viscosity 72 °F (cps): 500 – 1100

% NCO: 19.0

Amine Equivalents: 221

Appearance at 77 °F: Amber/Yellow Color

Liquid

Storage Temperature: 72 °F to 86 °F

Health and Safety Information

We prepare Safety Data Sheets and Product Labels that provide health and safety information intended to aid in the safe use of this prepolymer. Before using or handling this product each person must read and become familiar with the safety/handling information as well as processing information. For more information, contact your Northstar Polymers representative or call our corporate headquarters in Minneapolis MN.

Notice: All of the statements, recommendations, suggestions, and data concerning the subject material are based on our laboratory results, and although we believe the same to be reliable, we expressly do not represent, warrant, or guarantee the accuracy, completeness, or reliability of same, or the material or the results to be obtained from the use thereof, neither do we warrant that any such use, either alone or in combination with other materials, shall be free of the rightful claim of any third party by way of INFRINGEMENT or the like, and NORTHSTAR POLYMERS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY and FITNESS FOR A PARTICULAR PURPOSE.

Revised: 5/29/19